



Cypher Environmental Ltd.
ATTN: Teaghan Wellman
1149 St. Matthews Avenue
2nd Floor
Winnipeg Manitoba R3G 0J8

Date Received: 03-FEB-17
Report Date: 10-FEB-17 13:06 (MT)
Version: FINAL

Client Phone: 204-489-1214

Certificate of Analysis

Lab Work Order #: L1886901
Project P.O. #: NOT SUBMITTED
Job Reference:
C of C Numbers:
Legal Site Desc:

Judy Dalmaijer
Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721
ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

Reference Information

Test Method References:

ALS Test Code	Matrix	Test Description	Method Reference**
TROUT-LC50-WP	Water	Trout Bioassay LC50	EPS 1/RM/13, EPS 1/RM/9

Certified, disease-free rainbow trout (*Oncorhynchus mykiss*) are exposed to several concentrations of a sample including full strength, under static conditions in order to estimate the median lethal concentration (LC50) - the concentration of the sample in water that is estimated to be lethal to 50% of the test organisms within a 96-hour exposure period.

Samples with excessive salinity (reported as conductivity greater than 13700 µmhos/cm) discharging into marine waters will require alternate testing.

** ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code	Laboratory Location
WP	ALS ENVIRONMENTAL - WINNIPEG, MANITOBA, CANADA

Chain of Custody Numbers:
GLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory objectives for surrogates are listed there.

mg/kg - milligrams per kilogram based on dry weight of sample

mg/kg wwt - milligrams per kilogram based on wet weight of sample

mg/kg lwt - milligrams per kilogram based on lipid-adjusted weight

mg/L - unit of concentration based on volume, parts per million.

< - Less than.

D.L. - The reporting limit.

N/A - Result not available. Refer to qualifier code and definition for explanation.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.



Rainbow Trout Bioassay Test Report - LC50

Sample ID:	L1886901-1
------------	------------

Summary Results

96-hour LC50 v/v (%):	Non-Lethal
95% Lower Confidence Interval (%):	n/a
95% Upper Confidence Interval (%):	n/a
Method of Calculation:	n/a
Confirmed by Graph:	n/a

Sample Information

Sample Origin:	Cypher Environmental
Sample Description:	Dust Stop
Sampling Date and Time:	03-Feb-17
Sampling Method:	Grab
Sampled By:	Not Provided
Container(s) Description:	2 x 20L polyethylene pails without liners
Sample Volume:	40L
Date and Time Received:	03-Feb-17 14:40
Transit Irregularities:	None
Storage Temperature (°C):	n/a

Test Information

Test Organism:	Oncorhynchus mykiss
Test Description:	Acute, 96-hour, Static, LC50
Reference Method(s):	EPS 1/RM/13, 2nd Ed. Dec. 2000, with 2007 and 2016 amendments, Environment Canada EPS 1/RM/9, May 1996 with May 2007 amendments, Environment Canada
Performed By:	AGJ
Starting Date and Time:	03-Feb-17 16:45
Deviations from Reference Method:	None





Conditions During Test

Concentration (% v/v)	Temperature (°C) (15 ± 1°C)					Dissolved Oxygen (mg/L)					pH (pH units)				
	0h	24h	48h	72h	96h	0h	24h	48h	72h	96h	0h	24h	48h	72h	96h
0	14	n/a	n/a	n/a	14	9.81	n/a	n/a	n/a	9.72	7.51	n/a	n/a	n/a	7.68
0.016	14	n/a	n/a	n/a	14	9.93	n/a	n/a	n/a	9.66	7.58	n/a	n/a	n/a	7.38
0.031	14	n/a	n/a	n/a	14	9.79	n/a	n/a	n/a	9.59	7.61	n/a	n/a	n/a	7.42
0.063	14	n/a	n/a	n/a	14	9.43	n/a	n/a	n/a	9.57	7.84	n/a	n/a	n/a	7.52
0.125	14	n/a	n/a	n/a	14	8.52	n/a	n/a	n/a	9.37	8.18	n/a	n/a	n/a	7.52
0.25	14	n/a	n/a	n/a	14	6.78	n/a	n/a	n/a	7.21	8.86	n/a	n/a	n/a	7.36

Conc. (% v/v)	Conductivity (µS/cm)	Number of Fish Dead					Number of Fish Stressed			
		0h	24h	48h	72h	96h	24h	48h	72h	96h
0	332	n/a	n/a	n/a	0	n/a	n/a	n/a	0	
0.016	355	n/a	n/a	n/a	0	n/a	n/a	n/a	0	
0.031	394	n/a	n/a	n/a	0	n/a	n/a	n/a	0	
0.063	452	n/a	n/a	n/a	0	n/a	n/a	n/a	0	
0.125	546	n/a	n/a	n/a	0	n/a	n/a	n/a	0	
0.25	700	n/a	n/a	n/a	0	n/a	n/a	n/a	0	

Control Fish Information at End of Test

Mean Fork Length (mm):	38
Lower Range Fork Length (mm):	36
Upper Range Fork Length (mm):	40
Mean Wet Weight (g):	0.47





Sublethal Biological Effects

No sublethal biological effects observed.

Observations/Comments

No toxicity observed.

